



**OMEGA'S**  
Home Appliances  
*Exceed your expectations!*



**Har Ghar ki** *Zarurat...*

WWW.OMEGAAPPLIANCES.COM



*Har yug  
ka साथी...*



## About Us:

OMEGA'S has been known for its quality Electrical Home Appliances. We are one of the leading brands in India and are notable for our reliable, durable and performance-worthy appliances.

The journey of the company began in 1975, when it was established as a small business. Since then, the product advancement and high-quality appliances delivered by us, has always boosted our pace in the market. With our rich history of success and reliability, we have, over the years, also earned the trust and reputation from our clients.

When it comes to meeting the standards of the industry, staying at par with the international quality, our appliances remain at the forefront. Adapting new technologies, exploring quality prospects to develop advanced appliances, remains our continuous motto.

Manufacturing electrical home appliances like ceiling fans, table fans, water heater, room heater etc., we understand our responsibility towards our customers. We own four manufacturing plants in Noida (Uttar Pradesh) for meeting the standards and the demands of quality appliances.

### Mission:

Our mission is to fabricate constant endeavor towards developing the quality appliances, meeting the standards of the industry. At OMEGA'S, we also undertake the responsibility of conducting research and development for quality end-product and customer satisfaction.

### Vision:

We envision maintaining our standards, while incorporating hi-technology innovations in our appliances. Meeting client satisfaction has always been and will always remain our top-most priority meanwhile we intend to grow through the help of modern technological advancements.

### Our USP:

Being a leading name in the market, we have the responsibility to maintain the faith of our customers, and thus we pay extra precaution in the manufacturing of our appliances. In order to meet the requirements of our clients and uphold our name, we manufacture every raw material in-house. Our backward integration system is well-developed and is innovatively curated in each of our appliances.

### Why We Are A Preferred Name In The Industry?

- OMEGA'S products are known for maintaining international quality system.
- Our products are ISI marked granted by BUREAU of Indian Standards (BIS), Delhi.
- Our manufacturing plants are equipped with state-of-the-art technologies and infrastructure.
- We possess a team of highly-qualified, innovative and experienced team of individuals.
- At every level of production, the appliances are tested for its reliability and undergoes strict quality check.
- We have a separate team for doing R&D, to make our appliances better and to meet the customer's demands.
- We let our customers settle for nothing less than the best.
- Our durable appliances have also made us a significant exporter of home appliances to different parts of the world.
- It is the features of our manufacturing plants, which allow us to manufacture different parts of the appliances for other leading brands in the market.
- Our commitment and durability of our product is what has helped us to reach scaling heights in the industry.

Focusing on our result-oriented appliances, we tend to keep a pace with the market's demands of wide range of home electrical appliances.

# ORANA

Size : 48" (1200mm)



Double Ball Bearing

Energy Efficient

Metalic Finish

Aluminium Pressure Die cast body

High Air Delivery



Specification			
Sweep (in rpm)	Power Input (in watts)	Speed (in rpm)	Air Delivery (as mtr/min)
1200 mm	75	380	230

# SOLITAIRE

Size : 48" (1200mm)



Double Ball Bearing

Energy Efficient

Metalic Finish


Aluminium Pressure Die cast body



Specification			
Sweep (in mm)	Power Input (in watts)	Speed (in rpm)	Air Delivery (as mtr/min)
1200 mm	75	360	230

# GLAZE

Size : 48" (1200mm)



(White)



(Brown)



(Matte Black)



(Ivory)

Specification			
Sweep (in mm)	Power Input (in watts)	Speed (in rpm)	Air Delivery (as mtr/min)
1200 mm	75	360	230

Double Ball Bearing



Energy Efficient



Rust Free Powder Coated Finish



High Air Delivery



Double Ball Bearing



Energy Efficient



Rust Free Powder Coated Finish



High Air Delivery




# MAZE


Size : 48" (1200mm)



(Matte Black)



(White)



(Ivory)

Specification			
Sweep (in mm)	Power Input (in watts)	Speed (in rpm)	Air Delivery (as mtr/min)
1200 mm	75	360	230

# COOL BREEZE

Size : 48" (1200mm)



Also Available in 56"



Specification			
Sweep (in mm)	Power Input (in watts)	Speed (in rpm)	Air Delivery (as mtr/min)
1200 mm	75	360	230

# STRICKER

Size : 48" (1200mm)



Specification			
Sweep (in mm)	Power Input (in watts)	Speed (in rpm)	Air Delivery (as mtr/min)
1200 mm	75	360	230

Double Ball Bearing



Energy Efficient



Rust Free Powder Coated Finish



High Air Delivery



Double Ball Bearing



Energy Efficient



Rust Free Powder Coated Finish




High Air Delivery



# NEO

Size : 48" (1200mm)





Specification			
Sweep (in rpm)	Power Input (in watts)	Speed (in rpm)	Air Delivery (as mtr/min)
1200 mm	75	400	215



# SPINNER DECORATIVE

Size : 48" (1200mm)



Specification			
Sweep (in rpm)	Power Input (in watts)	Speed (in rpm)	Air Delivery (as mtr/min)
1200 mm	75	400	215



Double Ball Bearing

Energy Efficient

Rust Free Powder Coated Finish

High Speed fan

Double Ball Bearing

Energy Efficient

Rust Free Powder Coated Finish

High Speed fan

# SPINNER

Size : 48" (1200mm)





Specification			
Sweep (in rpm)	Power Input (in watts)	Speed (in rpm)	Air Delivery (as mtr/min)
1200 mm	75	400	215



# TEJAS

Size : 36" (900mm)



Specification			
Sweep (in mm)	Power Input (in watts)	Speed (in rpm)	Air Delivery (as mtr/min)
900 mm	75	650	225



Double Ball Bearing



Energy Efficient



Rust Free Powder Coated Finish



High Speed fan



Double Ball Bearing



Energy Efficient



Rust Free Powder Coated Finish




High Speed fan



# LITTLE SOLITAIRE

Size : 24" (600mm)



Specification			
Sweep (in mm)	Power Input (in watts)	Speed (in rpm)	Air Delivery (as mtr/min)
600 mm	65	875	120

# LITTLE PETAL

Size : 24" (600mm)



Specification			
Sweep (in mm)	Power Input (in watts)	Speed (in rpm)	Air Delivery (as mtr/min)
600 mm	65	875	120



Double Ball Bearing



Metalic Finish



High Air Delivery



Double Ball Bearing




Rust Free Powder Coated Finish



High Air Delivery



# MULTI PURPOSE FAN



(All Purpose Fan)  
 Size : 12 inch (300 mm)  
 Colour : Ivory

-  Rust Free Powder Coated Finish
-  Noiseless Performance

Specification			
Sweep (in mm)	Power Input (in watts)	Speed (in rpm)	Air Delivery (as mtr/min)
300 mm	90	2000	4800

# STORMY | CABIN



STORMY  
 Size : 9 inch (225 mm)  
 Colour : Ivory

-  Rust Free Powder Coated Finish
-  Noiseless Performance



CABIN  
 Size : 12 inch (300mm)  
 Colour : Ivory

Specification				
Product Name	Sweep (in mm)	Power Input (in watts)	Speed (in rpm)	Air Delivery (as mtr/min)
<b>CABIN</b>	255 mm	90	2000	4800
<b>STORMY</b>	300 mm	90	2000	4800

# VENTILATION, FRESH AIR & EXHAUST FAN

VENTILATION  
*Experts*



VENTEC

Size : 6" (150mm), 8" (200mm), 10" (250mm)  
Colour : White



100% Rust proof  
ABS plastic body  
& blade.



Robust  
construction



High Speed  
Motor




Energy Saving



Noiseless  
Performance

Specification			
Sweep (in mm)	Power Input (in watts)	Speed (in rpm)	Air Delivery (as mtr/min)
150	35	1300	180
200	38	1250	480
250	45	1250	780

# FRESH AIR



CCA



Copper



Robust  
construction



High Speed  
Motor



Energy Saving



Noiseless  
Performance

Specification			
Sweep (in mm)	Power Input (in watts)	Speed (in rpm)	Air Delivery (as mtr/min)
225	35	1350	780
300	50	1350	1290

# TURBO FAN



Specification		
Sweep (in mm)	Power Input (in watts)	Speed (in rpm)
225	68	2350
300	68	2350

# HEAVY DUTY EXHAUST FAN



Available in 12", 15", 18", 24" Inch

# TRANSAIR FAN



Specification		
Sweep (in mm)	Power Input (in watts)	Speed (in rpm)
225	68	1400
300	68	1400

Specification			
Sweep (in mm)	Power Input (in watts)	Speed (in rpm)	Air Delivery (as mtr/min)
300	80	1400	2000
380	160	1400	3300
450	380	1400	6200
600	500	900	9900



Robust construction



High Speed Motor



Energy Saving



Noiseless Performance



Robust construction



High Speed Motor



Energy Saving



Noiseless Performance

# PEDESTAL FAN

FARRATA

Size : 16 (500mm)  
Colour : gray



ALL PRODUCTS ARE  CERTIFIED

## Chale Agli Peedi tak



Aero Dynamic Blade For Excellent Air Flow



Three Speed Control



High Speed Motor



Energy Saving



Rust Free Powder Coated Finish

Specification		
Sweep (in mm)	Power Input (in watts)	Speed (in rpm)
500	160	1400

# COOLER PRODUCT



Cooler Kit Complete

20" Metal Blade w/leg & ring.



COOLER KIT

Name : Cooler Kit Motor  
Wattage : 105w  
RPM : 1400



Energy Saving



Rust Free Powder Coated Finish



Aero Dynamic Blade For Excellent Air Flow



PUMP

Water lifting capacity : 1.6 Mtr. & above  
Wattage : 18w  
CC winding  
RPM : 2800

# WALL FAN



HIGH SPEED



Energy Saving




100% Rust proof  
ABS plastic body  
& blade.



Aero Dynamic  
Blade For  
Excellent Air  
Flow



Specification			
Sweep (in mm)	Power Input (in watts)	Speed (in rpm)	Air Delivery (as cu.metre/min)
300	80	2100	52
400	105	2100	85



NORMAL SPEED



Energy Saving




100% Rust proof  
ABS plastic body  
& blade.



Aero Dynamic  
Blade For  
Excellent Air  
Flow

Specification			
Sweep (in mm)	Power Input (in watts)	Speed (in rpm)	Air Delivery (as cu.metre/min)
400	55	1300	65

# TABLE FAN



HIGH SPEED



Specification			
Sweep (in mm)	Power Input (in watts)	Speed (in rpm)	Air Delivery (as cu.metre/min)
400	105	2100	85

# WATER HEATER

Available in : 10, 15 & 25 Ltr.

Available in : 15 & 25 Ltr.


# Aloma










# Iyca



## SALIENT FEATURES

-  Polymer protective coating technology to protect inner container corrosion from hard water.
-  Superior CFC free PUF insulation reduces heat loss and keeps water hot much longer and thereby also saving energy.
-  Capillary Thermostat for better and reliable temperature control.
-  ISI Assurance of Quality
-  8 bar. Suitable for pressure Pumps and high rise buildings.
-  Stem type Cut-Out a back-up safety device disconnects the electric power at 90°C and prevents overheating.
-  2 KW copper element withstands high temperatures and are long lasting even in case of hard water.
-  BEE Five Star Rated Water Heater
-  Ideal for hard water.
-  Multi function valve releases excess pressure when temperature exceeds limit, prevent water backflow, drain out water when safety level is breached and releases vacuum in case of faulty water flow

## SALIENT FEATURES

-  Polymer protective coating technology to protect inner container corrosion from hard water.
-  Superior CFC free PUF insulation reduces heat loss and keeps water hot much longer and thereby also saving energy.
-  Capillary Thermostat for better and reliable temperature control.
-  ISI Assurance of Quality
-  8 bar. Suitable for pressure Pumps and high rise buildings.
-  Stem type Cut-Out a back-up safety device disconnects the electric power at 90°C and prevents overheating.
-  2 KW copper element withstands high temperatures and are long lasting even in case of hard water.
-  BEE Five Star Rated Water Heater
-  Ideal for hard water.
-  Multi function valve releases excess pressure when temperature exceeds limit, prevent water backflow, drain out water when safety level is breached and releases vacuum in case of faulty water flow

Specification			
Type	Storage Glassline	Mounting	Vertical
Pressure Rating (Bar)	8	Multi Fuction Valve	Yes
BEE Rating 2019-2020 (Star)	5	Element Rating(KW)	2
Magnesium Anode Rod	Yes	Tank Capacity (Litre)	10/15/25
Tank Body Material	Nano Polymer Coated Tank	Element Warranty (In Years)	2
Outer Body Material	Mild Steel Grade Plastic	Insulation	PUF
Temperature Display	No	Power & Heating Indicator	Yes
Control	Manual	Ingress Protection	IPX4
Colour	White	Tank Warranty (In Years)	5
Product Warranty (In Years)	2		

Specification			
Type	Storage Glassline	Mounting	Vertical
Pressure Rating (Bar)	8	Multi Fuction Valve	Yes
BEE Rating 2019-2020 (Star)	5	Element Rating(KW)	2
Magnesium Anode Rod	Yes	Tank Capacity (Litre)	15/25
Tank Body Material	Nano Polymer Coated Tank	Element Warranty (In Years)	2
Outer Body Material	High Grade Plastic	Insulation	PUF
Temperature Display	No	Power & Heating Indicator	Yes
Control	Manual	Ingress Protection	IPX4
Colour	Ivory	Tank Warranty (In Years)	5
Product Warranty (In Years)	2		

Available in : 6/10/15/25/35 Ltr.

Available in : 3 Ltr.

# Magma



# Insta Hot



## SALIENT FEATURES



Heavy Gauge SS-304L tank for long life.



Disc Cut-Out a back-up safety device disconnects the electric power at 90°C and prevents overheating.



Powder coated outer body for long life.



2 KW Element withstands high temperatures and are long lasting even in case of heard water.



Superior Glass Wool insulation reduces heat loss and keeps water hot much longer.



BEE Three Star Rated Water Heater



Capillary Thermostat for better and reliable temperature control.



ISI Assurance of Quality

Specification			
Type	Storage	Mounting	Vertical
Pressure Rating (Bar)	6.5	Multi Fuction Valve	Yes
BEE Rating	3	Element Rating(KW)	2
Magnesium Anode Rod	No	Element Warranty (In Years)	2
Tank Body Material	High Grade Stainless Steel	Insulation	Glass Wool
Outer Body Material	Powder Coated Metal	Power & Heating Indicator	Yes
Temperature Display	No	Ingress Protection	IPX4
Control	Manual	Tank Warranty (In Years)	5
Colour	White	Valve Type	Pressure-Release Valve
Product Warranty (In Years)	2	Heating Element	Heavy Copper With Nickel Coating
Tank Capacity (Litre)	6/10/15/25/35		

## SALIENT FEATURES



Heavy Gauge SS-304L tank for long life.



Disc Cut-Out a back-up safety device disconnects the electric power at 90°C and prevents overheating.



Powder coated outer body for long life.



3 KW Element withstands high temperatures and are long lasting even in case of heard water.



Superior Glass Wool insulation reduces heat loss and keeps water hot much longer.



ISI Assurance of Quality



Capillary Thermostat for better and reliable temperature control.

Specification			
Type	Storage	Valve Type	Pressure-Release Valve
Pressure Rating (Bar)	6.5	Mounting	Vertical
Magnesium Anode Rod	No	Element Rating(KW)	3/4.5
Tank Body Material	High Grade Stainless Steel	Tank Capacity (Litre)	3
Outer Body Material	High Grade Plastic	Element Warranty (In Years)	2
Temperature Display	No	Insulation	Glasswool
Control	Manual	Power & Heating Indicator	Yes
Colour	White	Ingress Protection	IPX4
Product Warranty (In Years)	2	Tank Warranty (In Years)	5
Heating Element	Heavy Copper With Nickel Coating	Water Heater Type	Instant








# ROOM HEATER

Halogen Heater



Quartz Heater



-  Instant Heating
-  Portable Design
-  Two/Three Rod
-  Quartz/Halogen Heater
-  With Safety Switch
-  Eco Friendly
-  ISI Assurance of Quality









# ROOM HEATER

H/C MARK 1




H/C MARK 2



-  Twin Turbo Design
-  Instant Heating
-  Thermostatic Heat Control
-  Portable
-  Thermal Fuel Protection
-  High Velocity Blower
-  Easy To Carry Handle
-  ISI Assurance of Quality



# IMMERSION ROD



Available in : 1500 W



Safe Heat




Elegant Handle Design



Shock Proof



ISI Assurance of Quality



Available in : 1000 / 1500 / 2000 W



High quality copper element



Elegant Handle bakelite



Provided with hook for hanging



ISI Assurance of Quality

# GEYSER ELEMENT



2 kW - 7 inches

2 kW - 11 inches



3 KW - Midget

2 KW - Kettle

O U R P R O D U C T S

CEILING FAN  
TABLE FAN  
EXHAUST FAN  
PEDESTAL FAN  
COOLER PRODUCT  
WALL FAN  
WATER HEATER  
ROOM HEATER  
IMMERSION ROD  
GEYSER ELEMENT

Designed and Powered by **Keyword India Pvt. Ltd.**



**OMEGA APPLIANCES PVT. LTD.**

Omega Appliances Pvt. Ltd.  
454, Nathupura Road, Near Shalimar Banquet Hall,  
Burari, New Delhi - 110084

**Toll Free : 1800 1238 779**

W W W . O M E G A A P P L I A N C E S . C O M